



Rates effective as of July 1, 2022  
Los Banos

Rate	Customer Category	Charge	Unit	PCE Rate	PCE Rate + PG&E Surcharges	July 2022 PG&E Generation Rate	2021 Vintage Rate	2016 Vintage Rate	2016 PG&E Franchise Fee
E1	Residential	Summer/Winter Energy	\$/kWh	0.11752	<b>0.14415</b>	0.15174	0.02572	0.02572	0.00091
E6	Residential	Summer Peak Energy	\$/kWh	0.24052	<b>0.26715</b>	0.28121	0.02572	0.02572	0.00091
E6	Residential	Summer Part-Peak Energy	\$/kWh	0.16174	<b>0.18837</b>	0.19828	0.02572	0.02572	0.00091
E6	Residential	Summer Off-Peak Energy	\$/kWh	0.09507	<b>0.1217</b>	0.1281	0.02572	0.02572	0.00091
E6	Residential	Winter Part-Peak Energy	\$/kWh	0.13045	<b>0.15708</b>	0.16535	0.02572	0.02572	0.00091
E6	Residential	Winter Off-Peak Energy	\$/kWh	0.09834	<b>0.12497</b>	0.13155	0.02572	0.02572	0.00091
ETOUB	Residential	Summer Peak Energy	\$/kWh	0.2316	<b>0.25823</b>	0.27182	0.02572	0.02572	0.00091
ETOUB	Residential	Summer Off-Peak Energy	\$/kWh	0.11469	<b>0.14132</b>	0.14876	0.02572	0.02572	0.00091
ETOUB	Residential	Winter Peak Energy	\$/kWh	0.1309	<b>0.15753</b>	0.16582	0.02572	0.02572	0.00091
ETOUB	Residential	Winter Off-Peak Energy	\$/kWh	0.09404	<b>0.12067</b>	0.12702	0.02572	0.02572	0.00091
ETOUc	Residential	Summer Peak Energy	\$/kWh	0.16483	<b>0.19146</b>	0.20154	0.02572	0.02572	0.00091
ETOUc	Residential	Summer Off-Peak Energy	\$/kWh	0.11407	<b>0.1407</b>	0.1481	0.02572	0.02572	0.00091
ETOUc	Residential	Winter Peak Energy	\$/kWh	0.1185	<b>0.14513</b>	0.15277	0.02572	0.02572	0.00091
ETOUc	Residential	Winter Off-Peak Energy	\$/kWh	0.10423	<b>0.13086</b>	0.13775	0.02572	0.02572	0.00091
ETOUd	Residential	Summer Peak Energy	\$/kWh	0.19279	<b>0.21942</b>	0.23097	0.02572	0.02572	0.00091
ETOUd	Residential	Summer Off-Peak Energy	\$/kWh	0.09308	<b>0.11971</b>	0.12601	0.02572	0.02572	0.00091
ETOUd	Residential	Winter Peak Energy	\$/kWh	0.15397	<b>0.1806</b>	0.1901	0.02572	0.02572	0.00091
ETOUd	Residential	Winter Off-Peak Energy	\$/kWh	0.12064	<b>0.14727</b>	0.15502	0.02572	0.02572	0.00091
EVA	EV	Summer Peak Energy	\$/kWh	0.27096	<b>0.29759</b>	0.31325	0.02572	0.02572	0.00091
EVA	EV	Summer Part-Peak Energy	\$/kWh	0.13466	<b>0.16129</b>	0.16978	0.02572	0.02572	0.00091
EVA	EV	Summer Off-Peak Energy	\$/kWh	0.0906	<b>0.11723</b>	0.1234	0.02572	0.02572	0.00091
EVA	EV	Winter Peak Energy	\$/kWh	0.08622	<b>0.11285</b>	0.11879	0.02572	0.02572	0.00091
EVA	EV	Winter Part-Peak Energy	\$/kWh	0.06261	<b>0.08924</b>	0.09394	0.02572	0.02572	0.00091
EVA	EV	Winter Off-Peak Energy	\$/kWh	0.06261	<b>0.08924</b>	0.09394	0.02572	0.02572	0.00091
EVB	EV	Summer Peak Energy	\$/kWh	0.27096	<b>0.29759</b>	0.31325	0.02572	0.02572	0.00091
EVB	EV	Summer Part-Peak Energy	\$/kWh	0.13466	<b>0.16129</b>	0.16978	0.02572	0.02572	0.00091
EVB	EV	Summer Off-Peak Energy	\$/kWh	0.0906	<b>0.11723</b>	0.1234	0.02572	0.02572	0.00091
EVB	EV	Winter Peak Energy	\$/kWh	0.08622	<b>0.11285</b>	0.11879	0.02572	0.02572	0.00091
EVB	EV	Winter Part-Peak Energy	\$/kWh	0.06261	<b>0.08924</b>	0.09394	0.02572	0.02572	0.00091
EVB	EV	Winter Off-Peak Energy	\$/kWh	0.06261	<b>0.08924</b>	0.09394	0.02572	0.02572	0.00091
EV2A	EV	Summer Peak Energy	\$/kWh	0.18147	<b>0.2081</b>	0.21905	0.02572	0.02572	0.00091
EV2A	EV	Summer Part-Peak Energy	\$/kWh	0.13899	<b>0.16562</b>	0.17434	0.02572	0.02572	0.00091
EV2A	EV	Summer Off-Peak Energy	\$/kWh	0.09991	<b>0.12654</b>	0.1332	0.02572	0.02572	0.00091
EV2A	EV	Winter Peak Energy	\$/kWh	0.12744	<b>0.15407</b>	0.16218	0.02572	0.02572	0.00091
EV2A	EV	Winter Part-Peak Energy	\$/kWh	0.11558	<b>0.14221</b>	0.14969	0.02572	0.02572	0.00091
EV2A	EV	Winter Off-Peak Energy	\$/kWh	0.09327	<b>0.1199</b>	0.12621	0.02572	0.02572	0.00091
EV2B	EV	Summer Peak Energy	\$/kWh						
EV2B	EV	Summer Part-Peak Energy	\$/kWh						
EV2B	EV	Summer Off-Peak Energy	\$/kWh						

Rate	Customer Category	Charge	Unit	PCE Rate	PCE Rate + PG&E Surcharges	July 2022 PG&E Generation Rate	2021 Vintage Rate	2016 Vintage Rate	2016 PG&E Franchise Fee
EV2B	EV	Winter Peak Energy	\$/kWh						
EV2B	EV	Winter Part-Peak Energy	\$/kWh						
EV2B	EV	Winter Off-Peak Energy	\$/kWh						
A1	Small Commercial	Summer Energy	\$/kWh	0.12925	0.15458	0.16272	0.02446	0.02446	0.00087
A1	Small Commercial	Winter Energy	\$/kWh	0.09112	0.11645	0.12258	0.02446	0.02446	0.00087
A1X	Small Commercial	Summer Peak Energy	\$/kWh	0.13232	0.15765	0.16595	0.02446	0.02446	0.00087
A1X	Small Commercial	Summer Part-Peak Energy	\$/kWh	0.13232	0.15765	0.16595	0.02446	0.02446	0.00087
A1X	Small Commercial	Summer Off-Peak Energy	\$/kWh	0.10885	0.13418	0.14124	0.02446	0.02446	0.00087
A1X	Small Commercial	Winter Part-Peak Energy	\$/kWh	0.10311	0.12844	0.1352	0.02446	0.02446	0.00087
A1X	Small Commercial	Winter Off-Peak Energy	\$/kWh	0.10256	0.12789	0.13462	0.02446	0.02446	0.00087
A6	Small Commercial	Summer Peak Energy	\$/kWh	0.19224	0.21757	0.22902	0.02446	0.02446	0.00087
A6	Small Commercial	Summer Part-Peak Energy	\$/kWh	0.14535	0.17068	0.17966	0.02446	0.02446	0.00087
A6	Small Commercial	Summer Off-Peak Energy	\$/kWh	0.11481	0.14014	0.14752	0.02446	0.02446	0.00087
A6	Small Commercial	Winter Part-Peak Energy	\$/kWh	0.1059	0.13123	0.13814	0.02446	0.02446	0.00087
A6	Small Commercial	Winter Off-Peak Energy	\$/kWh	0.10523	0.13056	0.13743	0.02446	0.02446	0.00087
A10S -S	Medium Commercial	Summer Energy	\$/kWh	0.12862	0.15548	0.16366	0.02594	0.02594	0.00092
A10S -S	Medium Commercial	Winter Energy	\$/kWh	0.10795	0.13481	0.1419	0.02594	0.02594	0.00092
A10S -S	Medium Commercial	Summer Max Demand	\$/kW	0	0	0	0	0	0
A10P -P	Medium Commercial	Summer Energy	\$/kWh	0.11491	0.14177	0.14923	0.02594	0.02594	0.00092
A10P -P	Medium Commercial	Winter Energy	\$/kWh	0.09703	0.12389	0.13041	0.02594	0.02594	0.00092
A10P -P	Medium Commercial	Summer Max Demand	\$/kW	0	0	0	0	0	0
A10T -T	Medium Commercial	Summer Energy	\$/kWh	0.09714	0.124	0.13053	0.02594	0.02594	0.00092
A10T -T	Medium Commercial	Winter Energy	\$/kWh	0.08088	0.10774	0.11341	0.02594	0.02594	0.00092
A10T -T	Medium Commercial	Summer Max Demand	\$/kW	0	0	0	0	0	0
A10SX -S	Medium Commercial	Summer Peak Energy	\$/kWh	0.14141	0.16827	0.17713	0.02594	0.02594	0.00092
A10SX -S	Medium Commercial	Summer Part-Peak Energy	\$/kWh	0.14141	0.16827	0.17713	0.02594	0.02594	0.00092
A10SX -S	Medium Commercial	Summer Off-Peak Energy	\$/kWh	0.11597	0.14283	0.15035	0.02594	0.02594	0.00092
A10SX -S	Medium Commercial	Winter Part-Peak Energy	\$/kWh	0.10853	0.13539	0.14252	0.02594	0.02594	0.00092
A10SX -S	Medium Commercial	Winter Off-Peak Energy	\$/kWh	0.10786	0.13472	0.14181	0.02594	0.02594	0.00092
A10SX -S	Medium Commercial	Summer Max Demand	\$/kW	0	0	0	0	0	0
A10PX -P	Medium Commercial	Summer Peak Energy	\$/kWh	0.12812	0.15498	0.16314	0.02594	0.02594	0.00092
A10PX -P	Medium Commercial	Summer Part-Peak Energy	\$/kWh	0.12812	0.15498	0.16314	0.02594	0.02594	0.00092
A10PX -P	Medium Commercial	Summer Off-Peak Energy	\$/kWh	0.10407	0.13093	0.13782	0.02594	0.02594	0.00092
A10PX -P	Medium Commercial	Winter Part-Peak Energy	\$/kWh	0.09702	0.12388	0.1304	0.02594	0.02594	0.00092
A10PX -P	Medium Commercial	Winter Off-Peak Energy	\$/kWh	0.09638	0.12324	0.12973	0.02594	0.02594	0.00092
A10PX -P	Medium Commercial	Summer Max Demand	\$/kW	0	0	0	0	0	0
A10TX -T	Medium Commercial	Summer Peak Energy	\$/kWh	0.11154	0.1384	0.14568	0.02594	0.02594	0.00092
A10TX -T	Medium Commercial	Summer Part-Peak Energy	\$/kWh	0.11154	0.1384	0.14568	0.02594	0.02594	0.00092
A10TX -T	Medium Commercial	Summer Off-Peak Energy	\$/kWh	0.08812	0.11498	0.12103	0.02594	0.02594	0.00092
A10TX -T	Medium Commercial	Winter Part-Peak Energy	\$/kWh	0.08124	0.1081	0.11379	0.02594	0.02594	0.00092
A10TX -T	Medium Commercial	Winter Off-Peak Energy	\$/kWh	0.08061	0.10747	0.11313	0.02594	0.02594	0.00092
A10TX -T	Medium Commercial	Summer Max Demand	\$/kW	0	0	0	0	0	0

Rate	Customer Category	Charge	Unit	PCE Rate	PCE Rate + PG&E Surcharges	July 2022 PG&E Generation Rate	2021 Vintage Rate	2016 Vintage Rate	2016 PG&E Franchise Fee
E19S -S	Large Commercial	Summer Peak Energy	\$/kWh	0.08643	0.1118	0.11768	0.0245	0.0245	0.00087
E19S -S	Large Commercial	Summer Part-Peak Energy	\$/kWh	0.08643	0.1118	0.11768	0.0245	0.0245	0.00087
E19S -S	Large Commercial	Summer Off-Peak Energy	\$/kWh	0.08075	0.10612	0.1117	0.0245	0.0245	0.00087
E19S -S	Large Commercial	Winter Part-Peak Energy	\$/kWh	0.07828	0.10365	0.10911	0.0245	0.0245	0.00087
E19S -S	Large Commercial	Winter Off-Peak Energy	\$/kWh	0.07761	0.10298	0.1084	0.0245	0.0245	0.00087
E19S -S	Large Commercial	Summer Peak Demand	\$/kW	11.571	11.571	12.18	0	0	0
E19S -S	Large Commercial	Summer Part-Peak Demand	\$/kW	11.571	11.571	12.18	0	0	0
E19P -P	Large Commercial	Summer Peak Energy	\$/kWh	0.07614	0.10151	0.10685	0.0245	0.0245	0.00087
E19P -P	Large Commercial	Summer Part-Peak Energy	\$/kWh	0.07614	0.10151	0.10685	0.0245	0.0245	0.00087
E19P -P	Large Commercial	Summer Off-Peak Energy	\$/kWh	0.0707	0.09607	0.10113	0.0245	0.0245	0.00087
E19P -P	Large Commercial	Winter Part-Peak Energy	\$/kWh	0.06836	0.09373	0.09866	0.0245	0.0245	0.00087
E19P -P	Large Commercial	Winter Off-Peak Energy	\$/kWh	0.06772	0.09309	0.09799	0.0245	0.0245	0.00087
E19P -P	Large Commercial	Summer Peak Demand	\$/kW	10.1745	10.1745	10.71	0	0	0
E19P -P	Large Commercial	Summer Part-Peak Demand	\$/kW	10.1745	10.1745	10.71	0	0	0
E19T -T	Large Commercial	Summer Peak Energy	\$/kWh	0.06726	0.09263	0.09751	0.0245	0.0245	0.00087
E19T -T	Large Commercial	Summer Part-Peak Energy	\$/kWh	0.06726	0.09263	0.09751	0.0245	0.0245	0.00087
E19T -T	Large Commercial	Summer Off-Peak Energy	\$/kWh	0.06189	0.08726	0.09185	0.0245	0.0245	0.00087
E19T -T	Large Commercial	Winter Part-Peak Energy	\$/kWh	0.05958	0.08495	0.08942	0.0245	0.0245	0.00087
E19T -T	Large Commercial	Winter Off-Peak Energy	\$/kWh	0.05895	0.08432	0.08876	0.0245	0.0245	0.00087
E19T -T	Large Commercial	Summer Peak Demand	\$/kW	11.248	11.248	11.84	0	0	0
E19T -T	Large Commercial	Summer Part-Peak Demand	\$/kW	11.248	11.248	11.84	0	0	0
E20S -S	Industrial	Summer Peak Energy	\$/kWh	0.08257	0.10604	0.11162	0.02267	0.02267	0.0008
E20S -S	Industrial	Summer Part-Peak Energy	\$/kWh	0.08257	0.10604	0.11162	0.02267	0.02267	0.0008
E20S -S	Industrial	Summer Off-Peak Energy	\$/kWh	0.07695	0.10042	0.1057	0.02267	0.02267	0.0008
E20S -S	Industrial	Winter Part-Peak Energy	\$/kWh	0.07448	0.09795	0.10311	0.02267	0.02267	0.0008
E20S -S	Industrial	Winter Off-Peak Energy	\$/kWh	0.07381	0.09728	0.1024	0.02267	0.02267	0.0008
E20S -S	Industrial	Summer Peak Demand	\$/kW	11.1055	11.1055	11.69	0	0	0
E20S -S	Industrial	Summer Part-Peak Demand	\$/kW	11.1055	11.1055	11.69	0	0	0
E20P -P	Industrial	Summer Peak Energy	\$/kWh	0.07997	0.10299	0.10841	0.02223	0.02223	0.00079
E20P -P	Industrial	Summer Part-Peak Energy	\$/kWh	0.07997	0.10299	0.10841	0.02223	0.02223	0.00079
E20P -P	Industrial	Summer Off-Peak Energy	\$/kWh	0.0745	0.09752	0.10265	0.02223	0.02223	0.00079
E20P -P	Industrial	Winter Part-Peak Energy	\$/kWh	0.07215	0.09517	0.10018	0.02223	0.02223	0.00079
E20P -P	Industrial	Winter Off-Peak Energy	\$/kWh	0.07151	0.09453	0.09951	0.02223	0.02223	0.00079
E20P -P	Industrial	Summer Peak Demand	\$/kW	11.9225	11.9225	12.55	0	0	0
E20P -P	Industrial	Summer Part-Peak Demand	\$/kW	11.9225	11.9225	12.55	0	0	0
E20T -T	Industrial	Summer Peak Energy	\$/kWh	0.06839	0.09054	0.09531	0.02143	0.02143	0.00072
E20T -T	Industrial	Summer Part-Peak Energy	\$/kWh	0.06839	0.09054	0.09531	0.02143	0.02143	0.00072
E20T -T	Industrial	Summer Off-Peak Energy	\$/kWh	0.06301	0.08516	0.08964	0.02143	0.02143	0.00072
E20T -T	Industrial	Winter Part-Peak Energy	\$/kWh	0.0607	0.08285	0.08721	0.02143	0.02143	0.00072
E20T -T	Industrial	Winter Off-Peak Energy	\$/kWh	0.06007	0.08222	0.08655	0.02143	0.02143	0.00072
E20T -T	Industrial	Summer Peak Demand	\$/kW	14.269	14.269	15.02	0	0	0
E20T -T	Industrial	Summer Part-Peak Demand	\$/kW	14.269	14.269	15.02	0	0	0

Rate	Customer Category	Charge	Unit	PCE Rate	PCE Rate + PG&E Surcharges	July 2022 PG&E Generation Rate	2021 Vintage Rate	2016 Vintage Rate	2016 PG&E Franchise Fee
AG1A	Agricultural	Summer Energy	\$/kWh	0.09079	0.11459	0.12062	0.02299	0.02299	0.00081
AG1A	Agricultural	Winter Energy	\$/kWh	0.07815	0.10195	0.10732	0.02299	0.02299	0.00081
AG1A	Agricultural	Summer Connected Load	\$/hp	2.4415	2.4415	2.57	0	0	0
AG1B -S	Agricultural	Summer Energy	\$/kWh	0.1016	0.1254	0.132	0.02299	0.02299	0.00081
AG1B -S	Agricultural	Winter Energy	\$/kWh	0.07062	0.09442	0.09939	0.02299	0.02299	0.00081
AG1B -S	Agricultural	Summer Max Demand	\$/kW	3.7905	3.7905	3.99	0	0	0
AG1B -P	Agricultural	Primary Voltage Discount on Summer Max Demand	\$/kW						
AGRA	Agricultural	Summer Peak Energy	\$/kWh	0.13447	0.15827	0.1666	0.02299	0.02299	0.00081
AGRA	Agricultural	Summer Off-Peak Energy	\$/kWh	0.08697	0.11077	0.1166	0.02299	0.02299	0.00081
AGRA	Agricultural	Winter Part-Peak Energy	\$/kWh	0.07459	0.09839	0.10357	0.02299	0.02299	0.00081
AGRA	Agricultural	Winter Off-Peak Energy	\$/kWh	0.07392	0.09772	0.10286	0.02299	0.02299	0.00081
AGRA	Agricultural	Summer Connected Load	\$/hp	1.843	1.843	1.94	0	0	0
AGRB	Agricultural	Summer Peak Energy	\$/kWh	0.12256	0.14636	0.15406	0.02299	0.02299	0.00081
AGRB	Agricultural	Summer Off-Peak Energy	\$/kWh	0.08109	0.10489	0.11041	0.02299	0.02299	0.00081
AGRB	Agricultural	Winter Part-Peak Energy	\$/kWh	0.07343	0.09723	0.10235	0.02299	0.02299	0.00081
AGRB	Agricultural	Winter Off-Peak Energy	\$/kWh	0.07276	0.09656	0.10164	0.02299	0.02299	0.00081
AGRB	Agricultural	Summer Max Demand	\$/kW	2.736	2.736	2.88	0	0	0
AGRB	Agricultural	Summer Peak Demand	\$/kW	0.779	0.779	0.82	0	0	0
AGRB -P	Agricultural	Primary Voltage Discount on Summer Max Demand	\$/kW						
AGVA	Agricultural	Summer Peak Energy	\$/kWh	0.12409	0.14789	0.15567	0.02299	0.02299	0.00081
AGVA	Agricultural	Summer Off-Peak Energy	\$/kWh	0.08387	0.10767	0.11334	0.02299	0.02299	0.00081
AGVA	Agricultural	Winter Part-Peak Energy	\$/kWh	0.07286	0.09666	0.10175	0.02299	0.02299	0.00081
AGVA	Agricultural	Winter Off-Peak Energy	\$/kWh	0.07219	0.09599	0.10104	0.02299	0.02299	0.00081
AGVA	Agricultural	Summer Connected Load	\$/hp	1.938	1.938	2.04	0	0	0
AGVB	Agricultural	Summer Peak Energy	\$/kWh	0.11296	0.13676	0.14396	0.02299	0.02299	0.00081
AGVB	Agricultural	Summer Off-Peak Energy	\$/kWh	0.0771	0.1009	0.10621	0.02299	0.02299	0.00081
AGVB	Agricultural	Winter Part-Peak Energy	\$/kWh	0.06745	0.09125	0.09605	0.02299	0.02299	0.00081
AGVB	Agricultural	Winter Off-Peak Energy	\$/kWh	0.06677	0.09057	0.09534	0.02299	0.02299	0.00081
AGVB	Agricultural	Summer Max Demand	\$/kW	2.527	2.527	2.66	0	0	0
AGVB	Agricultural	Summer Peak Demand	\$/kW	0.8075	0.8075	0.85	0	0	0
AGVB -P	Agricultural	Primary Voltage Discount on Summer Max Demand	\$/kW						
AG4A	Agricultural	Summer Peak Energy	\$/kWh	0.10786	0.13166	0.13859	0.02299	0.02299	0.00081
AG4A	Agricultural	Summer Off-Peak Energy	\$/kWh	0.08641	0.11021	0.11601	0.02299	0.02299	0.00081
AG4A	Agricultural	Winter Part-Peak Energy	\$/kWh	0.0759	0.0997	0.10495	0.02299	0.02299	0.00081
AG4A	Agricultural	Winter Off-Peak Energy	\$/kWh	0.07523	0.09903	0.10424	0.02299	0.02299	0.00081
AG4A	Agricultural	Summer Connected Load	\$/hp	1.919	1.919	2.02	0	0	0
AG4B	Agricultural	Summer Peak Energy	\$/kWh	0.10669	0.13049	0.13736	0.02299	0.02299	0.00081
AG4B	Agricultural	Summer Off-Peak Energy	\$/kWh	0.09457	0.11837	0.1246	0.02299	0.02299	0.00081
AG4B	Agricultural	Winter Part-Peak Energy	\$/kWh	0.08603	0.10983	0.11561	0.02299	0.02299	0.00081

Rate	Customer Category	Charge	Unit	PCE Rate	PCE Rate + PG&E Surcharges	July 2022 PG&E Generation Rate	2021 Vintage Rate	2016 Vintage Rate	2016 PG&E Franchise Fee
AG4B	Agricultural	Winter Off-Peak Energy	\$/kWh	0.08537	<b>0.10917</b>	0.11492	0.02299	0.02299	0.00081
AG4B	Agricultural	Summer Max Demand	\$/kW	3.477	<b>3.477</b>	3.66	0	0	0
AG4B	Agricultural	Summer Peak Demand	\$/kW	0.931	<b>0.931</b>	0.98	0	0	0
AG4B -P	Agricultural	Primary Voltage Discount on Summer Max Demand	\$/kW						
AG4C	Agricultural	Summer Peak Energy	\$/kWh	0.08459	<b>0.10839</b>	0.11409	0.02299	0.02299	0.00081
AG4C	Agricultural	Summer Part-Peak Energy	\$/kWh	0.07023	<b>0.09403</b>	0.09898	0.02299	0.02299	0.00081
AG4C	Agricultural	Summer Off-Peak Energy	\$/kWh	0.06501	<b>0.08881</b>	0.09348	0.02299	0.02299	0.00081
AG4C	Agricultural	Winter Part-Peak Energy	\$/kWh	0.06512	<b>0.08892</b>	0.0936	0.02299	0.02299	0.00081
AG4C	Agricultural	Winter Off-Peak Energy	\$/kWh	0.06445	<b>0.08825</b>	0.09289	0.02299	0.02299	0.00081
AG4C	Agricultural	Summer Peak Demand	\$/kW	4.617	<b>4.617</b>	4.86	0	0	0
AG4C	Agricultural	Summer Part-Peak Demand	\$/kW	3.458	<b>3.458</b>	3.64	0	0	0
AG4C -P	Agricultural	Primary Voltage Discount on Summer Peak Demand	\$/kW						
AG4C -T	Agricultural	Transmission Voltage Discount on Summer Peak Demand	\$/kW						
AG4C -T	Agricultural	Transmission Voltage Discount on Summer Part-Peak Demand	\$/kW						
AG5A	Agricultural	Summer Peak Energy	\$/kWh	0.10987	<b>0.13367</b>	0.14071	0.02299	0.02299	0.00081
AG5A	Agricultural	Summer Off-Peak Energy	\$/kWh	0.09201	<b>0.11581</b>	0.12191	0.02299	0.02299	0.00081
AG5A	Agricultural	Winter Part-Peak Energy	\$/kWh	0.08349	<b>0.10729</b>	0.11294	0.02299	0.02299	0.00081
AG5A	Agricultural	Winter Off-Peak Energy	\$/kWh	0.08282	<b>0.10662</b>	0.11223	0.02299	0.02299	0.00081
AG5A	Agricultural	Summer Connected Load	\$/hp	5.301	<b>5.301</b>	5.58	0	0	0
AG5B	Agricultural	Summer Peak Energy	\$/kWh	0.10324	<b>0.12704</b>	0.13373	0.02299	0.02299	0.00081
AG5B	Agricultural	Summer Off-Peak Energy	\$/kWh	0.08034	<b>0.10414</b>	0.10962	0.02299	0.02299	0.00081
AG5B	Agricultural	Winter Part-Peak Energy	\$/kWh	0.07662	<b>0.10042</b>	0.1057	0.02299	0.02299	0.00081
AG5B	Agricultural	Winter Off-Peak Energy	\$/kWh	0.07597	<b>0.09977</b>	0.10502	0.02299	0.02299	0.00081
AG5B	Agricultural	Summer Max Demand	\$/kW	6.669	<b>6.669</b>	7.02	0	0	0
AG5B	Agricultural	Summer Peak Demand	\$/kW	2.0805	<b>2.0805</b>	2.19	0	0	0
AG5B -P	Agricultural	Primary Voltage Discount on Summer Max Demand	\$/kW						
AG5B -T	Agricultural	Transmission Voltage Discount on Summer Max Demand	\$/kW						
AG5C	Agricultural	Summer Peak Energy	\$/kWh	0.07901	<b>0.10281</b>	0.10822	0.02299	0.02299	0.00081
AG5C	Agricultural	Summer Part-Peak Energy	\$/kWh	0.06699	<b>0.09079</b>	0.09557	0.02299	0.02299	0.00081
AG5C	Agricultural	Summer Off-Peak Energy	\$/kWh	0.06252	<b>0.08632</b>	0.09086	0.02299	0.02299	0.00081
AG5C	Agricultural	Winter Part-Peak Energy	\$/kWh	0.06444	<b>0.08824</b>	0.09288	0.02299	0.02299	0.00081
AG5C	Agricultural	Winter Off-Peak Energy	\$/kWh	0.06376	<b>0.08756</b>	0.09217	0.02299	0.02299	0.00081
AG5C	Agricultural	Summer Peak Demand	\$/kW	9.348	<b>9.348</b>	9.84	0	0	0
AG5C	Agricultural	Summer Part-Peak Demand	\$/kW	7.467	<b>7.467</b>	7.86	0	0	0
AG5C -P	Agricultural	Primary Voltage Discount on Summer Peak Demand	\$/kW						

Rate	Customer Category	Charge	Unit	PCE Rate	PCE Rate + PG&E Surcharges	July 2022 PG&E Generation Rate	2021 Vintage Rate	2016 Vintage Rate	2016 PG&E Franchise Fee
<b>AG5C -T</b>	Agricultural	Transmission Voltage Discount on Summer Peak Demand	\$/kW						
<b>LS3</b>	Street and Outdoor Lighting	Summer Energy	\$/kWh	0.09595	<b>0.11771</b>	0.1239	0.02101	0.02101	0.00075
<b>LS3</b>	Street and Outdoor Lighting	Winter Energy	\$/kWh	0.09595	<b>0.11771</b>	0.1239	0.02101	0.02101	0.00075
<b>TC1</b>	Street and Outdoor Lighting	Summer Energy	\$/kWh	0.10314	<b>0.12847</b>	0.13523	0.02446	0.02446	0.00087
<b>TC1</b>	Street and Outdoor Lighting	Winter Energy	\$/kWh	0.10314	<b>0.12847</b>	0.13523	0.02446	0.02446	0.00087
<b>B1</b>	Small Commercial (New)	Summer Peak Energy	\$/kWh	0.17116	<b>0.19649</b>	0.20683	0.02446	0.02446	0.00087
<b>B1</b>	Small Commercial (New)	Summer Part-Peak Energy	\$/kWh	0.12439	<b>0.14972</b>	0.1576	0.02446	0.02446	0.00087
<b>B1</b>	Small Commercial (New)	Summer Off-Peak Energy	\$/kWh	0.10463	<b>0.12996</b>	0.1368	0.02446	0.02446	0.00087
<b>B1</b>	Small Commercial (New)	Winter Peak Energy	\$/kWh	0.11867	<b>0.144</b>	0.15158	0.02446	0.02446	0.00087
<b>B1</b>	Small Commercial (New)	Winter Off-Peak Energy	\$/kWh	0.10337	<b>0.1287</b>	0.13547	0.02446	0.02446	0.00087
<b>B1</b>	Small Commercial (New)	Winter Supr Off-Peak Energy	\$/kWh	0.08777	<b>0.1131</b>	0.11905	0.02446	0.02446	0.00087
<b>B6</b>	Small Commercial (New)	Summer Peak Energy	\$/kWh	0.17349	<b>0.19882</b>	0.20928	0.02446	0.02446	0.00087
<b>B6</b>	Small Commercial (New)	Summer Off-Peak Energy	\$/kWh	0.10589	<b>0.13122</b>	0.13813	0.02446	0.02446	0.00087
<b>B6</b>	Small Commercial (New)	Winter Peak Energy	\$/kWh	0.11314	<b>0.13847</b>	0.14576	0.02446	0.02446	0.00087
<b>B6</b>	Small Commercial (New)	Winter Off-Peak Energy	\$/kWh	0.09694	<b>0.12227</b>	0.12871	0.02446	0.02446	0.00087
<b>B6</b>	Small Commercial (New)	Winter Supr Off-Peak Energy	\$/kWh	0.08135	<b>0.10668</b>	0.11229	0.02446	0.02446	0.00087
<b>B10T -T</b>	Medium Commercial (New)	Summer Peak Energy	\$/kWh	0.15861	<b>0.18547</b>	0.19523	0.02594	0.02594	0.00092
<b>B10T -T</b>	Medium Commercial (New)	Summer Part-Peak Energy	\$/kWh	0.10471	<b>0.13157</b>	0.13849	0.02594	0.02594	0.00092
<b>B10T -T</b>	Medium Commercial (New)	Summer Off-Peak Energy	\$/kWh	0.07614	<b>0.103</b>	0.10842	0.02594	0.02594	0.00092
<b>B10T -T</b>	Medium Commercial (New)	Winter Peak Energy	\$/kWh	0.10821	<b>0.13507</b>	0.14218	0.02594	0.02594	0.00092
<b>B10T -T</b>	Medium Commercial (New)	Winter Off-Peak Energy	\$/kWh	0.07701	<b>0.10387</b>	0.10934	0.02594	0.02594	0.00092
<b>B10T -T</b>	Medium Commercial (New)	Winter Supr Off-Peak Energy	\$/kWh	0.04249	<b>0.06935</b>	0.073	0.02594	0.02594	0.00092
<b>B10P -P</b>	Medium Commercial (New)	Summer Peak Energy	\$/kWh	0.18029	<b>0.20715</b>	0.21805	0.02594	0.02594	0.00092
<b>B10P -P</b>	Medium Commercial (New)	Summer Part-Peak Energy	\$/kWh	0.1249	<b>0.15176</b>	0.15975	0.02594	0.02594	0.00092
<b>B10P -P</b>	Medium Commercial (New)	Summer Off-Peak Energy	\$/kWh	0.0956	<b>0.12246</b>	0.12891	0.02594	0.02594	0.00092
<b>B10P -P</b>	Medium Commercial (New)	Winter Peak Energy	\$/kWh	0.12839	<b>0.15525</b>	0.16342	0.02594	0.02594	0.00092
<b>B10P -P</b>	Medium Commercial (New)	Winter Off-Peak Energy	\$/kWh	0.09643	<b>0.12329</b>	0.12978	0.02594	0.02594	0.00092
<b>B10P -P</b>	Medium Commercial (New)	Winter Supr Off-Peak Energy	\$/kWh	0.06191	<b>0.08877</b>	0.09344	0.02594	0.02594	0.00092
<b>B10S -S</b>	Medium Commercial (New)	Summer Peak Energy	\$/kWh	0.19498	<b>0.22184</b>	0.23352	0.02594	0.02594	0.00092
<b>B10S -S</b>	Medium Commercial (New)	Summer Part-Peak Energy	\$/kWh	0.13638	<b>0.16324</b>	0.17183	0.02594	0.02594	0.00092
<b>B10S -S</b>	Medium Commercial (New)	Summer Off-Peak Energy	\$/kWh	0.10544	<b>0.1323</b>	0.13926	0.02594	0.02594	0.00092
<b>B10S -S</b>	Medium Commercial (New)	Winter Peak Energy	\$/kWh	0.13985	<b>0.16671</b>	0.17548	0.02594	0.02594	0.00092
<b>B10S -S</b>	Medium Commercial (New)	Winter Off-Peak Energy	\$/kWh	0.10614	<b>0.133</b>	0.14	0.02594	0.02594	0.00092
<b>B10S -S</b>	Medium Commercial (New)	Winter Supr Off-Peak Energy	\$/kWh	0.07162	<b>0.09848</b>	0.10366	0.02594	0.02594	0.00092
<b>B19S -S</b>	Large Commercial (New)	Summer Peak Demand	\$/kW	17.765	<b>17.765</b>	18.7	0	0	0
<b>B19S -S</b>	Large Commercial (New)	Summer Part-Peak Demand	\$/kW	2.584	<b>2.584</b>	2.72	0	0	0
<b>B19S -S</b>	Large Commercial (New)	Winter Peak Demand	\$/kW	2.109	<b>2.109</b>	2.22	0	0	0
<b>B19S -S</b>	Large Commercial (New)	Summer Peak Energy	\$/kWh	0.13932	<b>0.16469</b>	0.17336	0.0245	0.0245	0.00087
<b>B19S -S</b>	Large Commercial (New)	Summer Part-Peak Energy	\$/kWh	0.10398	<b>0.12935</b>	0.13616	0.0245	0.0245	0.00087
<b>B19S -S</b>	Large Commercial (New)	Summer Off-Peak Energy	\$/kWh	0.07898	<b>0.10435</b>	0.10984	0.0245	0.0245	0.00087
<b>B19S -S</b>	Large Commercial (New)	Winter Peak Energy	\$/kWh	0.11687	<b>0.14224</b>	0.14973	0.0245	0.0245	0.00087

Rate	Customer Category	Charge	Unit	PCE Rate	PCE Rate + PG&E Surcharges	July 2022 PG&E Generation Rate	2021 Vintage Rate	2016 Vintage Rate	2016 PG&E Franchise Fee
B19S -S	Large Commercial (New)	Winter Off-Peak Energy	\$/kWh	0.07888	0.10425	0.10974	0.0245	0.0245	0.00087
B19S -S	Large Commercial (New)	Winter Supr Off-Peak Energy	\$/kWh	0.02793	0.0533	0.0561	0.0245	0.0245	0.00087
B19P -P	Large Commercial (New)	Summer Peak Demand	\$/kW	15.219	15.219	16.02	0	0	0
B19P -P	Large Commercial (New)	Summer Part-Peak Demand	\$/kW	2.2325	2.2325	2.35	0	0	0
B19P -P	Large Commercial (New)	Winter Peak Demand	\$/kW	1.558	1.558	1.64	0	0	0
B19P -P	Large Commercial (New)	Summer Peak Energy	\$/kWh	0.12308	0.14845	0.15626	0.0245	0.0245	0.00087
B19P -P	Large Commercial (New)	Summer Part-Peak Energy	\$/kWh	0.09573	0.1211	0.12747	0.0245	0.0245	0.00087
B19P -P	Large Commercial (New)	Summer Off-Peak Energy	\$/kWh	0.07194	0.09731	0.10243	0.0245	0.0245	0.00087
B19P -P	Large Commercial (New)	Winter Peak Energy	\$/kWh	0.10717	0.13254	0.13952	0.0245	0.0245	0.00087
B19P -P	Large Commercial (New)	Winter Off-Peak Energy	\$/kWh	0.07223	0.0976	0.10274	0.0245	0.0245	0.00087
B19P -P	Large Commercial (New)	Winter Supr Off-Peak Energy	\$/kWh	0.02251	0.04788	0.0504	0.0245	0.0245	0.00087
B19T -T	Large Commercial (New)	Summer Peak Demand	\$/kW	13.243	13.243	13.94	0	0	0
B19T -T	Large Commercial (New)	Summer Part-Peak Demand	\$/kW	3.3155	3.3155	3.49	0	0	0
B19T -T	Large Commercial (New)	Winter Peak Demand	\$/kW	1.273	1.273	1.34	0	0	0
B19T -T	Large Commercial (New)	Summer Peak Energy	\$/kWh	0.1082	0.13357	0.1406	0.0245	0.0245	0.00087
B19T -T	Large Commercial (New)	Summer Part-Peak Energy	\$/kWh	0.09694	0.12231	0.12875	0.0245	0.0245	0.00087
B19T -T	Large Commercial (New)	Summer Off-Peak Energy	\$/kWh	0.07298	0.09835	0.10353	0.0245	0.0245	0.00087
B19T -T	Large Commercial (New)	Winter Peak Energy	\$/kWh	0.10744	0.13281	0.1398	0.0245	0.0245	0.00087
B19T -T	Large Commercial (New)	Winter Off-Peak Energy	\$/kWh	0.07351	0.09888	0.10408	0.0245	0.0245	0.00087
B19T -T	Large Commercial (New)	Winter Supr Off-Peak Energy	\$/kWh	0.0236	0.04897	0.05155	0.0245	0.0245	0.00087
B20S -S	Industrial (New)	Summer Peak Demand	\$/kW	16.682	16.682	17.56	0	0	0
B20S -S	Industrial (New)	Summer Part-Peak Demand	\$/kW	2.4225	2.4225	2.55	0	0	0
B20S -S	Industrial (New)	Winter Peak Demand	\$/kW	2.128	2.128	2.24	0	0	0
B20S -S	Industrial (New)	Summer Peak Energy	\$/kWh	0.13333	0.1568	0.16505	0.02267	0.02267	0.0008
B20S -S	Industrial (New)	Summer Part-Peak Energy	\$/kWh	0.10158	0.12505	0.13163	0.02267	0.02267	0.0008
B20S -S	Industrial (New)	Summer Off-Peak Energy	\$/kWh	0.0765	0.09997	0.10523	0.02267	0.02267	0.0008
B20S -S	Industrial (New)	Winter Peak Energy	\$/kWh	0.11441	0.13788	0.14514	0.02267	0.02267	0.0008
B20S -S	Industrial (New)	Winter Off-Peak Energy	\$/kWh	0.0763	0.09977	0.10502	0.02267	0.02267	0.0008
B20S -S	Industrial (New)	Winter Supr Off-Peak Energy	\$/kWh	0.02524	0.04871	0.05127	0.02267	0.02267	0.0008
B20P -P	Industrial (New)	Summer Peak Demand	\$/kW	18.7055	18.7055	19.69	0	0	0
B20P -P	Industrial (New)	Summer Part-Peak Demand	\$/kW	2.5745	2.5745	2.71	0	0	0
B20P -P	Industrial (New)	Winter Peak Demand	\$/kW	2.1565	2.1565	2.27	0	0	0
B20P -P	Industrial (New)	Summer Peak Energy	\$/kWh	0.13086	0.15388	0.16198	0.02223	0.02223	0.00079
B20P -P	Industrial (New)	Summer Part-Peak Energy	\$/kWh	0.09662	0.11964	0.12594	0.02223	0.02223	0.00079
B20P -P	Industrial (New)	Summer Off-Peak Energy	\$/kWh	0.07275	0.09577	0.10081	0.02223	0.02223	0.00079
B20P -P	Industrial (New)	Winter Peak Energy	\$/kWh	0.10907	0.13209	0.13904	0.02223	0.02223	0.00079
B20P -P	Industrial (New)	Winter Off-Peak Energy	\$/kWh	0.07281	0.09583	0.10087	0.02223	0.02223	0.00079
B20P -P	Industrial (New)	Winter Supr Off-Peak Energy	\$/kWh	0.02136	0.04438	0.04672	0.02223	0.02223	0.00079
B20T -T	Industrial (New)	Summer Peak Demand	\$/kW	19.589	19.589	20.62	0	0	0
B20T -T	Industrial (New)	Summer Part-Peak Demand	\$/kW	4.6645	4.6645	4.91	0	0	0
B20T -T	Industrial (New)	Winter Peak Demand	\$/kW	2.6125	2.6125	2.75	0	0	0
B20T -T	Industrial (New)	Summer Peak Energy	\$/kWh	0.1128	0.13495	0.14205	0.02143	0.02143	0.00072

Rate	Customer Category	Charge	Unit	PCE Rate	PCE Rate + PG&E Surcharges	July 2022 PG&E Generation Rate	2021 Vintage Rate	2016 Vintage Rate	2016 PG&E Franchise Fee
B20T -T	Industrial (New)	Summer Part-Peak Energy	\$/kWh	0.09119	<b>0.11334</b>	0.11931	0.02143	0.02143	0.00072
B20T -T	Industrial (New)	Summer Off-Peak Energy	\$/kWh	0.06709	<b>0.08924</b>	0.09394	0.02143	0.02143	0.00072
B20T -T	Industrial (New)	Winter Peak Energy	\$/kWh	0.10699	<b>0.12914</b>	0.13594	0.02143	0.02143	0.00072
B20T -T	Industrial (New)	Winter Off-Peak Energy	\$/kWh	0.06341	<b>0.08556</b>	0.09006	0.02143	0.02143	0.00072
B20T -T	Industrial (New)	Winter Supr Off-Peak Energy	\$/kWh	0.01988	<b>0.04203</b>	0.04424	0.02143	0.02143	0.00072
AGA1	Agricultural	Summer Peak Energy	\$/kWh	0.22002	<b>0.24382</b>	0.25665	0.02299	0.02299	0.00081
AGA1	Agricultural	Summer Off-Peak Energy	\$/kWh	0.10632	<b>0.13012</b>	0.13697	0.02299	0.02299	0.00081
AGA1	Agricultural	Winter Peak Energy	\$/kWh	0.10317	<b>0.12697</b>	0.13365	0.02299	0.02299	0.00081
AGA1	Agricultural	Winter Off-Peak Energy	\$/kWh	0.07804	<b>0.10184</b>	0.1072	0.02299	0.02299	0.00081
AGA2	Agricultural	Summer Peak Energy	\$/kWh	0.22002	<b>0.24382</b>	0.25665	0.02299	0.02299	0.00081
AGA2	Agricultural	Summer Off-Peak Energy	\$/kWh	0.10632	<b>0.13012</b>	0.13697	0.02299	0.02299	0.00081
AGA2	Agricultural	Winter Peak Energy	\$/kWh	0.10317	<b>0.12697</b>	0.13365	0.02299	0.02299	0.00081
AGA2	Agricultural	Winter Off-Peak Energy	\$/kWh	0.07804	<b>0.10184</b>	0.1072	0.02299	0.02299	0.00081
AGB	Agricultural	Summer Peak Energy	\$/kWh	0.23618	<b>0.25998</b>	0.27366	0.02299	0.02299	0.00081
AGB	Agricultural	Summer Off-Peak Energy	\$/kWh	0.11926	<b>0.14306</b>	0.15059	0.02299	0.02299	0.00081
AGB	Agricultural	Winter Peak Energy	\$/kWh	0.11419	<b>0.13799</b>	0.14525	0.02299	0.02299	0.00081
AGB	Agricultural	Winter Off-Peak Energy	\$/kWh	0.0893	<b>0.1131</b>	0.11905	0.02299	0.02299	0.00081
AGC -S	Agricultural	Summer Peak Demand	\$/kW	14.687	<b>14.687</b>	15.46	0	0	0
AGC -P	Agricultural	Summer Peak Demand	\$/kW						
AGC -T	Agricultural	Summer Peak Demand	\$/kW						
AGC	Agricultural	Summer Peak Energy	\$/kWh	0.10551	<b>0.12931</b>	0.13612	0.02299	0.02299	0.00081
AGC	Agricultural	Summer Off-Peak Energy	\$/kWh	0.07751	<b>0.10131</b>	0.10664	0.02299	0.02299	0.00081
AGC	Agricultural	Winter Peak Energy	\$/kWh	0.09161	<b>0.11541</b>	0.12148	0.02299	0.02299	0.00081
AGC	Agricultural	Winter Off-Peak Energy	\$/kWh	0.06736	<b>0.09116</b>	0.09596	0.02299	0.02299	0.00081